

# Inorganic Water Quality

## March 2005

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO3	TDS mg/L	Sodium mg/L	pH units
SP-001	29-Mar-05	1	78	214	40	8.2
SP-030	29-Mar-05	1	75	227	39	8.1
SP-035	7-Mar-05	1	115	314	50	7.9
SP-140	24-Mar-05	1		534		7.5
SP-145	7-Mar-05	1		339		7.9
SP-150	1-Mar-05	1		408		7.9
SP-155	15-Mar-05	1		403		7.5
SP-233	29-Mar-05	1		545		7.3
SP-235	24-Mar-05	1		326		8.0
SP-238	24-Mar-05	1	231	579	96	7.3
SP-010	29-Mar-05	2		328		8.1
SP-015	29-Mar-05	2		323		8.1
SP-020	7-Mar-05	2		323		8.2
SP-040	29-Mar-05	2	120	314	47	8.0
SP-050	6-Mar-05	2		346		8.1
SP-055	6-Mar-05	2		365		8.1
SP-060	7-Mar-05	2		329		8.2
SP-065	7-Mar-05	2	136	330	49	8.2
SP-070	7-Mar-05	2		329		8.2
SP-075	6-Mar-05	2		333		8.1
SP-085	27-Mar-05	2	141	330	50	7.8
SP-100	24-Mar-05	2	136	336	49	8.0
SP-110	24-Mar-05	2		320		8.1
SP-170	24-Mar-05	2		333		8.0
SP-255	28-Mar-05	2	140	334	52	8.0
SP-260	28-Mar-05	2		333		8.0
SP-262	8-Mar-05	2		332		8.2
SP-265	6-Mar-05	2	126	330	51	8.1
SP-270	27-Mar-05	2		333		8.1
SP-275	8-Mar-05	2		330		8.1
SP-280	6-Mar-05	2	129	325	51	8.2
SP-285	27-Mar-05	2		319		8.1
SP-290	28-Mar-05	2		330		8.0
SP-295	8-Mar-05	2	126	328	48	8.1
SP-300	27-Mar-05	2		306		8.1
SP-305	8-Mar-05	2	133	332	50	8.0
SP-355	27-Mar-05	2		293		8.1
SP-105	1-Mar-05	3		266		7.9
SP-115	1-Mar-05	3	108	244	35	7.8
SP-120	27-Mar-05	3		313		7.9
SP-160	1-Mar-05	3		201		7.9
SP-162	7-Mar-05	3		418		7.9
SP-165	1-Mar-05	3	148	323	44	7.9

## Inorganic Water Quality March 2005

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO3	TDS mg/L	Sodium mg/L	pH units
SP-175	15-Mar-05	3	113	211	27	7.6
SP-180	15-Mar-05	3		282		7.9
SP-185	1-Mar-05	3		252		7.8
SP-190	7-Mar-05	3	136	289	40	7.9
SP-200	15-Mar-05	3		218		7.9
SP-205	1-Mar-05	3		212		7.9
SP-210	29-Mar-05	3		404		8.1
SP-215	15-Mar-05	3		379		7.9
SP-220	1-Mar-05	3		395		8.0
SP-225	24-Mar-05	3	136	341	50	8.1
SP-230	15-Mar-05	3	189	380	54	8.0
SP-240	1-Mar-05	3	193	410	54	7.9
SP-245	29-Mar-05	3	142	314	45	7.9
SP-250	24-Mar-05	3		316		7.9
SP-755	24-Mar-05	3		375		7.8
SP-760	1-Mar-05	3		378		8.0
SP-765	1-Mar-05	3	157	364	53	8.1
SP-770	7-Mar-05	3		431		7.8
SP-775	15-Mar-05	3	154	362	50	7.8
SP-780	15-Mar-05	3		396		7.6
SP-790	7-Mar-05	3		420		7.8
SP-795	1-Mar-05	3		330		8.1
SP-800	1-Mar-05	3	134	338	51	8.1
SP-805	15-Mar-05	3		376		7.7
SP-810	8-Mar-05	3		356		8.0
SP-825	7-Mar-05	3		372		7.8
SP-830	1-Mar-05	3		386		8.0
SP-850	1-Mar-05	3		333		8.0
SP-125	24-Mar-05	4		289		7.8
SP-130	15-Mar-05	4		206		7.9
SP-135	7-Mar-05	4		328		8.1
SP-311	6-Mar-05	4		333		8.1
SP-325	28-Mar-05	4		305		7.9
SP-330	28-Mar-05	4		319		8.0
SP-335	24-Mar-05	4	127	317	45	8.0
SP-340	8-Mar-05	4		313		8.0
SP-345	8-Mar-05	4		328		8.0
SP-704	20-Mar-05	4		337		7.8
SP-708	20-Mar-05	4	154	352	52	7.8
SP-866	15-Mar-05	4	86	203	31	8.0
SP-870	7-Mar-05	4		328		8.1
SP-872	24-Mar-05	4		186		7.9
SP-874	27-Mar-05	4		208		7.9

# Inorganic Water Quality

## March 2005

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO <sub>3</sub>	TDS mg/L	Sodium mg/L	pH units
SP-876	27-Mar-05	4	122	296	48	7.6
SP-878	15-Mar-05	4		187		8.0
SP-882	24-Mar-05	4		301		7.9
SP-884	23-Mar-05	4	137	330	49	8.0
SP-886	7-Mar-05	4	132	325	51	8.0
SP-888	23-Mar-05	4		338		8.0
SP-890	24-Mar-05	4	136	339	50	7.6
SP-894	20-Mar-05	4		327		7.8
SP-896	20-Mar-05	4		344		7.9
SP-898	1-Mar-05	4		324		8.0
SP-315	6-Mar-05	5		310		8.1
SP-320	8-Mar-05	5		329		8.2
SP-385	8-Mar-05	5		300		7.8
SP-390	28-Mar-05	5		264		7.9
SP-395	8-Mar-05	5	115	305	43	8.1
SP-400	28-Mar-05	5		332		8.0
SP-405	1-Mar-05	5		334		8.1
SP-535	28-Mar-05	5		244		7.6
SP-540	28-Mar-05	5		250		7.6
SP-545	27-Mar-05	5	94	206	32	7.8
SP-550	6-Mar-05	5		284		8.0
SP-555	8-Mar-05	5		276		7.6
SP-560	28-Mar-05	5	120	262	38	7.9
SP-602	16-Mar-05	5	63	167	25	8.0
SP-604	23-Mar-05	5		337		8.0
SP-605	16-Mar-05	5		277		8.0
SP-608	23-Mar-05	5		332		8.1
SP-610	23-Mar-05	5	115	263	39	7.8
SP-612	16-Mar-05	5	126	305	43	8.0
SP-618	6-Mar-05	5	126	332	51	7.7
SP-622	15-Mar-05	5	142	334	50	7.7
SP-623	1-Mar-05	5		324		8.0
SP-624	9-Mar-05	5		278		8.0
SP-627	9-Mar-05	5	119	323	46	8.1
SP-706	8-Mar-05	5	116	296	45	7.8
SP-712	20-Mar-05	5		323		7.9
SP-714	28-Mar-05	5	120	256	37	7.6
SP-716	16-Mar-05	5		265		7.4
SP-718	16-Mar-05	5		289		7.7
SP-722	23-Mar-05	5		323		8.0
SP-724	15-Mar-05	5		188		8.1
SP-726	20-Mar-05	5	138	324	50	7.8
SP-728	23-Mar-05	5	151	345	48	8.0

## Inorganic Water Quality March 2005

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO <sub>3</sub>	TDS mg/L	Sodium mg/L	pH units
SP-746	23-Mar-05	5		292		8.1
SP-880	20-Mar-05	5		359		7.8
SP-900	16-Mar-05	5		274		7.9
SP-360	27-Mar-05	6	139	324	49	7.8
SP-375	28-Mar-05	6	143	333	52	8.1
SP-380	6-Mar-05	6		317		8.2
SP-415	28-Mar-05	6		329		8.0
SP-435	8-Mar-05	6		298		7.5
SP-565	1-Mar-05	6	134	332	52	8.0
SP-580	8-Mar-05	6		280		7.3
SP-585	16-Mar-05	6		277		7.2
SP-590	6-Mar-05	6	100	245	29	7.9
SP-595	16-Mar-05	6		244		7.6
SP-614	15-Mar-05	6		331		7.7
SP-615	6-Mar-05	6		324		7.9
SP-620	9-Mar-05	6		321		8.1
SP-625	15-Mar-05	6		319		7.7
SP-630	9-Mar-05	6		319		8.1
SP-635	6-Mar-05	6	122	294	45	8.2
SP-640	6-Mar-05	6		259		7.9
SP-645	16-Mar-05	6	100	238	31	7.9
SP-650	6-Mar-05	6		249		7.8
SP-655	9-Mar-05	6		217		8.1
SP-690	9-Mar-05	6		308		8.1
SP-695	15-Mar-05	6		223		7.6
SP-700	16-Mar-05	6		224		8.0
SP-701	9-Mar-05	6	105	224	27	7.9
SP-705	15-Mar-05	6	135	330	47	7.6
SP-710	16-Mar-05	6		294		8.1
SP-715	1-Mar-05	6	134	325	52	8.1
SP-365	1-Mar-05	7		319		8.1
SP-370	28-Mar-05	7	143	330	50	8.0
SP-420	27-Mar-05	7		326		8.2
SP-425	8-Mar-05	7		315		8.1
SP-430	27-Mar-05	7		335		8.0
SP-505	8-Mar-05	7	117	303	40	7.6
SP-510	28-Mar-05	7		194		8.1
SP-515	27-Mar-05	7		304		7.6
SP-520	15-Mar-05	7		236		7.7
SP-525	21-Mar-05	7		220		7.4
SP-575	15-Mar-05	7	89	193	26	7.6
SP-660	1-Mar-05	7		179		7.9
SP-665	15-Mar-05	7		221		7.7

## Inorganic Water Quality March 2005

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO <sub>3</sub>	TDS mg/L	Sodium mg/L	pH units
SP-670	15-Mar-05	7	113	221	29	7.6
SP-675	1-Mar-05	7	121	228	28	7.8
SP-680	15-Mar-05	7		220		7.3
SP-685	15-Mar-05	7		219		7.5
SP-720	9-Mar-05	7		228		7.9
SP-725	1-Mar-05	7		230		7.9
SP-727	15-Mar-05	7		215		7.5
SP-730	1-Mar-05	7		232		8.0
SP-731	16-Mar-05	7	105	221	28	7.9
SP-732	9-Mar-05	7	124	303	42	8.0
SP-733	16-Mar-05	7	101	218	27	7.9
SP-734	15-Mar-05	7	111	224	28	7.6
SP-736	15-Mar-05	7		225		7.5
SP-738	16-Mar-05	7		221		7.7
SP-740	21-Mar-05	7	111	234	34	7.3
SP-742	21-Mar-05	7		218		7.4
SP-267	9-Mar-05	8		447		7.5
SP-277	9-Mar-05	8	252	447	38	7.5
SP-410	9-Mar-05	8		438		7.5
SP-628	16-Mar-05	8		306		7.6
SP-908	8-Mar-05	8		426		7.6
SP-910	8-Mar-05	8		410		7.7
SP-912	9-Mar-05	8	197	397	41	7.5
SP-914	8-Mar-05	8		420		7.6
SP-916	8-Mar-05	8		466		7.5
SP-918	13-Mar-05	8		406		7.7
SP-920	13-Mar-05	8		312		7.9
SP-922	8-Mar-05	8	222	385	38	7.7
SP-924	13-Mar-05	8	203	362	37	7.7
SP-926	8-Mar-05	8	281	472	48	7.6
SP-928	13-Mar-05	8	234	358	44	7.6
SP-930	13-Mar-05	8		367		7.6
SP-932	13-Mar-05	8		368		7.7
SP-936	21-Mar-05	8	201	396	47	7.2
SP-950	23-Mar-05	8		375		7.6
SP-952	23-Mar-05	8	193	365	44	7.6
SP-974	21-Mar-05	8	198	380	44	7.2
SP-820	8-Mar-05	9		451		7.6
SP-835	1-Mar-05	9		323		8.0
SP-840	23-Mar-05	9		394		7.7
SP-845	1-Mar-05	9		323		8.0
SP-852	8-Mar-05	9	155	336	41	7.7
SP-854	1-Mar-05	9		364		7.7

## Inorganic Water Quality March 2005

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO <sub>3</sub>	TDS mg/L	Sodium mg/L	pH units
SP-856	23-Mar-05	9	257	454	49	7.5
SP-858	20-Mar-05	9	247	447	50	7.4
SP-860	13-Mar-05	9	136	339	52	8.0
SP-862	8-Mar-05	9	130	329	56	7.8
SP-863	20-Mar-05	9		350		7.8
SP-892	8-Mar-05	9		329		8.0
SP-902	8-Mar-05	9	122	332	48	8.0
SP-904	1-Mar-05	9	131	323	52	8.0
SP-906	9-Mar-05	9		387		7.9
SP-940	20-Mar-05	9	75	200	40	7.8
SP-942	13-Mar-05	9		221		7.7
SP-944	20-Mar-05	9		205		7.7
SP-946	13-Mar-05	9		355		7.7
SP-948	23-Mar-05	9		467		7.5
SP-954	8-Mar-05	9		293		8.0
SP-956	8-Mar-05	9		213		7.9
SP-958	23-Mar-05	9		205		7.9
SP-938	23-Mar-05	10		207		8.0
SP-960	20-Mar-05	10		207		7.6
SP-962	20-Mar-05	10	78	210	40	7.6
SP-964	13-Mar-05	10		228		7.9
SP-966	20-Mar-05	10		209		7.5
SP-972	13-Mar-05	10	77	207	39	7.8
SP-978	13-Mar-05	10	132	317	51	8.0
SP-980	21-Mar-05	10		211		7.5
SP-982	13-Mar-05	10		212		8.0
SP-984	1-Mar-05	10	97	239	42	7.9
SP-986	1-Mar-05	10		319		7.9
SP-988	13-Mar-05	10		312		7.8
SP-990	13-Mar-05	10		312		7.9