

Inorganic Water Quality February 2008

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-001	20-Feb-08	1		244		8.2
SP-005	20-Feb-08	1		272		8.0
SP-030	20-Feb-08	1		444		8.0
SP-035	11-Feb-08	1		455		7.9
SP-140	25-Feb-08	1		435		8.1
SP-145	11-Feb-08	1	172	410	52	8.0
SP-150	5-Feb-08	1		417		8.0
SP-155	14-Feb-08	1	190	447	57	7.9
SP-233	20-Feb-08	1	182	445	55	8.0
SP-235	25-Feb-08	1		435		8.0
SP-238	25-Feb-08	1		477		7.7
SP-010	20-Feb-08	2	197	429	61	8.1
SP-015	20-Feb-08	2	202	431	63	8.1
SP-020	11-Feb-08	2		433		8.1
SP-040	20-Feb-08	2		431		8.0
SP-050	6-Feb-08	2		429		8.1
SP-055	6-Feb-08	2	191	419	58	8.1
SP-060	11-Feb-08	2	183	429	57	8.0
SP-065	11-Feb-08	2		437		8.0
SP-070	11-Feb-08	2		433		8.0
SP-075	6-Feb-08	2		418		8.2
SP-085	14-Feb-08	2		430		8.0
SP-100	25-Feb-08	2		436		8.1
SP-110	25-Feb-08	2		436		8.0
SP-170	25-Feb-08	2	188	433	60	8.1
SP-255	27-Feb-08	2		431		8.1
SP-260	27-Feb-08	2		431		8.1
SP-262	6-Feb-08	2	175	422	56	8.2
SP-265	6-Feb-08	2		422		8.1
SP-270	14-Feb-08	2		410		8.1
SP-275	6-Feb-08	2		421		8.1
SP-280	6-Feb-08	2		419		8.0
SP-285	14-Feb-08	2	170	427	57	8.0
SP-290	27-Feb-08	2	196	431	61	8.1
SP-295	6-Feb-08	2		428		8.1
SP-300	14-Feb-08	2		428		8.0
SP-305	6-Feb-08	2		426		8.1
SP-355	14-Feb-08	2	170	429	56	8.0
SP-105	5-Feb-08	3	184	432	57	8.0
SP-115	5-Feb-08	3		414		8.0
SP-120	14-Feb-08	3		426		8.0
SP-160	5-Feb-08	3	178	426	58	8.0
SP-162	11-Feb-08	3		443		8.0

Inorganic Water Quality February 2008

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-165	5-Feb-08	3		435		8.1
SP-175	14-Feb-08	3		445		8.0
SP-180	14-Feb-08	3		443		8.0
SP-185	5-Feb-08	3		429		8.0
SP-190	11-Feb-08	3		441		8.0
SP-200	14-Feb-08	3	176	435	57	7.9
SP-205	5-Feb-08	3	177	422	58	8.0
SP-210	20-Feb-08	3	227	450	63	8.0
SP-215	14-Feb-08	3		473		7.9
SP-220	5-Feb-08	3		464		8.0
SP-225	25-Feb-08	3		461		8.0
SP-230	14-Feb-08	3		484		7.9
SP-240	5-Feb-08	3		442		8.0
SP-245	20-Feb-08	3		435		8.1
SP-250	25-Feb-08	3	185	433	58	8.0
SP-755	25-Feb-08	3	212	463	60	7.9
SP-760	5-Feb-08	3	190	411	58	8.1
SP-765	5-Feb-08	3		408		8.1
SP-770	11-Feb-08	3		460		7.8
SP-775	14-Feb-08	3		459		7.9
SP-780	14-Feb-08	3	203	465	59	7.8
SP-790	11-Feb-08	3	192	455	55	7.8
SP-795	5-Feb-08	3		428		8.0
SP-800	5-Feb-08	3		400		8.1
SP-805	14-Feb-08	3		470		7.8
SP-810	19-Feb-08	3		433		8.0
SP-825	11-Feb-08	3	192	439	58	8.0
SP-830	5-Feb-08	3	172	390	54	8.0
SP-850	4-Feb-08	3	190	440	60	7.9
SP-125	25-Feb-08	4	165	418	55	8.0
SP-130	14-Feb-08	4	101	269	40	8.1
SP-135	11-Feb-08	4	174	434	56	8.1
SP-311	6-Feb-08	4	175	429	58	8.0
SP-325	27-Feb-08	4		425		8.0
SP-330	27-Feb-08	4	194	426	61	8.1
SP-335	25-Feb-08	4		428		8.0
SP-340	6-Feb-08	4	169	419	55	8.0
SP-345	6-Feb-08	4		408		8.0
SP-704	13-Feb-08	4		429		8.0
SP-708	13-Feb-08	4		429		8.0
SP-866	14-Feb-08	4		431		8.0
SP-870	11-Feb-08	4		431		8.0
SP-872	25-Feb-08	4		431		8.0

Inorganic Water Quality February 2008

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-874	14-Feb-08	4	76	200	33	8.0
SP-876	14-Feb-08	4		193		8.0
SP-878	14-Feb-08	4		350		8.1
SP-882	25-Feb-08	4	180	432	58	8.0
SP-884	26-Feb-08	4		432		8.0
SP-886	11-Feb-08	4		431		7.9
SP-888	26-Feb-08	4	197	432	61	8.0
SP-890	25-Feb-08	4		434		8.0
SP-894	13-Feb-08	4	189	430	61	8.0
SP-896	13-Feb-08	4		431		8.0
SP-898	4-Feb-08	4		428		7.9
SP-315	6-Feb-08	5		429		8.1
SP-320	6-Feb-08	5	171	423	55	8.1
SP-385	6-Feb-08	5		389		8.0
SP-390	27-Feb-08	5		404		8.0
SP-395	6-Feb-08	5		401		8.0
SP-400	27-Feb-08	5	184	403	58	8.0
SP-405	4-Feb-08	5		396		7.9
SP-535	27-Feb-08	5	182	407	56	8.0
SP-540	27-Feb-08	5		402		8.0
SP-545	14-Feb-08	5		410		8.0
SP-550	6-Feb-08	5		400		8.0
SP-555	6-Feb-08	5	173	389	54	7.9
SP-560	27-Feb-08	5		413		8.1
SP-602	21-Feb-08	5		424		8.1
SP-604	26-Feb-08	5	169	398	55	8.1
SP-605	21-Feb-08	5		339		7.9
SP-608	26-Feb-08	5		361		8.1
SP-610	26-Feb-08	5		408		8.1
SP-612	21-Feb-08	5		420		8.1
SP-618	6-Feb-08	5		431		8.1
SP-622	21-Feb-08	5		368		8.1
SP-623	4-Feb-08	5	174	429	59	8.0
SP-624	11-Feb-08	5		435		8.0
SP-627	11-Feb-08	5		434		8.1
SP-706	6-Feb-08	5		427		7.8
SP-712	13-Feb-08	5	184	409	58	8.1
SP-714	27-Feb-08	5		401		8.0
SP-716	21-Feb-08	5	189	413	60	8.1
SP-718	21-Feb-08	5		426		8.0
SP-722	26-Feb-08	5		378		8.0
SP-724	14-Feb-08	5		431		8.1
SP-726	13-Feb-08	5		431		8.0

Inorganic Water Quality February 2008

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-728	26-Feb-08	5		374		8.1
SP-746	26-Feb-08	5	122	316	43	8.1
SP-880	13-Feb-08	5	194	431	62	8.0
SP-900	21-Feb-08	5	166	394	58	8.0
SP-360	14-Feb-08	6		428		8.0
SP-375	27-Feb-08	6		427		8.1
SP-380	6-Feb-08	6	184	428	59	8.1
SP-415	27-Feb-08	6	203	432	63	8.1
SP-435	6-Feb-08	6		402		7.9
SP-565	4-Feb-08	6		385		7.7
SP-570	14-Feb-08	6		426		8.0
SP-580	6-Feb-08	6		415		7.8
SP-585	21-Feb-08	6		406		8.0
SP-590	6-Feb-08	6		368		8.0
SP-595	21-Feb-08	6	186	404	58	8.1
SP-614	21-Feb-08	6	198	426	63	8.1
SP-615	6-Feb-08	6	172	417	56	8.0
SP-620	11-Feb-08	6	189	424	60	8.1
SP-625	21-Feb-08	6		426		8.2
SP-630	11-Feb-08	6		427		8.0
SP-635	6-Feb-08	6		419		8.0
SP-640	6-Feb-08	6		423		8.0
SP-645	21-Feb-08	6		413		8.1
SP-650	6-Feb-08	6	169	393	54	8.1
SP-655	11-Feb-08	6		291		7.9
SP-690	11-Feb-08	6	179	423	58	8.1
SP-695	21-Feb-08	6		394		8.1
SP-700	21-Feb-08	6	192	419	61	8.1
SP-701	11-Feb-08	6		337		8.0
SP-705	21-Feb-08	6		428		8.0
SP-710	21-Feb-08	6		422		8.1
SP-715	4-Feb-08	6		422		7.9
SP-365	4-Feb-08	7	180	423	57	7.9
SP-370	27-Feb-08	7		426		8.0
SP-420	14-Feb-08	7	172	424	56	8.1
SP-425	6-Feb-08	7	152	376	49	8.1
SP-430	14-Feb-08	7		426		8.1
SP-505	6-Feb-08	7		353		7.7
SP-510	27-Feb-08	7		264		8.3
SP-515	14-Feb-08	7		206		8.1
SP-520	21-Feb-08	7		225		8.0
SP-525	25-Feb-08	7	102	218	28	8.0
SP-575	21-Feb-08	7		223		8.0

Inorganic Water Quality February 2008

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO3	TDS mg/L	Sodium mg/L	pH units
SP-660	4-Feb-08	7	79	180	26	7.8
SP-665	21-Feb-08	7	114	218	29	8.0
SP-670	21-Feb-08	7		217		7.9
SP-675	4-Feb-08	7		220		7.9
SP-680	21-Feb-08	7	187	399	57	8.1
SP-685	21-Feb-08	7		198		8.0
SP-720	11-Feb-08	7		330		8.0
SP-725	4-Feb-08	7		232		7.9
SP-727	21-Feb-08	7	186	403	58	8.1
SP-730	4-Feb-08	7	109	235	30	7.9
SP-731	21-Feb-08	7		282		7.9
SP-732	11-Feb-08	7		363		8.0
SP-733	21-Feb-08	7		399		8.1
SP-734	21-Feb-08	7		380		8.1
SP-736	21-Feb-08	7		221		7.9
SP-738	21-Feb-08	7		236		7.8
SP-740	25-Feb-08	7		230		7.8
SP-742	25-Feb-08	7	136	271	34	7.7
SP-267	11-Feb-08	8	216	394	42	7.6
SP-277	11-Feb-08	8		397		7.6
SP-410	11-Feb-08	8		412		7.5
SP-628	21-Feb-08	8	195	424	62	8.0
SP-908	19-Feb-08	8	174	430	59	8.0
SP-910	19-Feb-08	8		428		8.1
SP-912	11-Feb-08	8		433		7.8
SP-914	19-Feb-08	8		432		8.0
SP-916	19-Feb-08	8	193	432	58	8.0
SP-918	5-Feb-08	8		428		8.0
SP-920	5-Feb-08	8	182	428	59	8.0
SP-922	19-Feb-08	8		432		8.1
SP-924	5-Feb-08	8		406		7.9
SP-926	19-Feb-08	8		428		7.9
SP-928	5-Feb-08	8		427		8.0
SP-930	5-Feb-08	8	228	399	44	7.8
SP-932	5-Feb-08	8		422		8.0
SP-936	25-Feb-08	8		470		7.7
SP-950	26-Feb-08	8		368		7.7
SP-952	26-Feb-08	8		349		7.8
SP-974	25-Feb-08	8		446		7.9
SP-820	19-Feb-08	9	168	362	42	7.8
SP-835	4-Feb-08	9		430		7.9
SP-840	26-Feb-08	9		442		7.8
SP-845	4-Feb-08	9		431		7.9

Inorganic Water Quality February 2008

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-852	19-Feb-08	9		332		7.9
SP-854	5-Feb-08	9		368		7.9
SP-856	26-Feb-08	9		435		7.9
SP-858	13-Feb-08	9		431		8.0
SP-860	5-Feb-08	9		429		8.0
SP-862	19-Feb-08	9		435		8.0
SP-863	13-Feb-08	9		432		7.9
SP-892	19-Feb-08	9	164	427	55	8.0
SP-902	19-Feb-08	9		427		8.0
SP-904	4-Feb-08	9		432		7.9
SP-906	11-Feb-08	9	181	433	60	8.0
SP-940	13-Feb-08	9		368		7.7
SP-942	5-Feb-08	9		204		7.9
SP-944	13-Feb-08	9	278	499	54	7.5
SP-946	5-Feb-08	9	178	424	58	8.0
SP-948	26-Feb-08	9	290	526	44	7.5
SP-954	19-Feb-08	9		314		7.9
SP-956	19-Feb-08	9	80	200	37	8.0
SP-958	26-Feb-08	9	60	210	38	7.9
SP-938	26-Feb-08	10		233		8.0
SP-960	13-Feb-08	10		203		7.9
SP-962	13-Feb-08	10		209		8.1
SP-964	5-Feb-08	10	77	208	39	8.0
SP-966	13-Feb-08	10	79	205	40	7.9
SP-972	5-Feb-08	10		206		8.0
SP-978	5-Feb-08	10		204		8.0
SP-980	25-Feb-08	10	73	203	38	8.0
SP-982	5-Feb-08	10		204		8.0
SP-984	4-Feb-08	10		431		7.7
SP-986	4-Feb-08	10	169	409	56	7.7
SP-988	5-Feb-08	10	138	356	51	8.0
SP-990	5-Feb-08	10		377		7.9